


FLYBRIDGE & HARD TOP COLLECTION

M44HT

HARD TOP



M44HT
HARD TOP



M44HT
HARD TOP



M44HT
HARD TOP



M44HT
HARD TOP



M44HT

HARD TOP

TECHNICAL SPECIFICATIONS & LAYOUTS

LENGTH OVERALL / LUNGHEZZA FUORI TUTTO	13,82 m ca. / 45 ft 4 in approx.
BEAM MAX / LARGHEZZA MASSIMA	4,06 m ca. / 13 ft 3 in approx.
DRAFT (INCL. PROPS) / PESCAGGIO ALLE ELICHE	0,96 m ca. / 3 ft 2 in approx.
HEIGHT ABOVE WATERLINE / ALTEZZA SOPRA LINEA GALLEGGIAMENTO	4,18 m ca. / 13 ft 8 in approx.
DRY WEIGHT / PESO CON MOTORI	10 900 kg ca. / 24 000 lbs approx.
PASSENGERS AND WEIGHT / PORTATA PERSONE MAX E PESO	12 (1 200 kg / 2 650 lbs)
FUEL CAPACITY / CAPACITÀ SERBATOIO CARBURANTE	940 l ca. / 206 UK gal approx. / 248 US gal approx.
FRESH WATER CAPACITY / CAPACITÀ SERBATOIO ACQUA	300 l ca. / 66 UK gal approx. / 79 US gal approx.
SUITES - CABINS / CABINE	2
BATHROOMS / BAGNI	2
SLEEPING ACCOMODATIONS / POSTI LETTO	5
HULL CARENA / CARENA	Aldo Cranchi
DESIGN / PROGETTO	Centro Studi Ricerche Cranchi
INTERIOR DESIGN / INTERIOR DESIGN	Christian Grande
CE CATEGORY / CATEGORIA DI PROGETTAZIONE	B

CRANCHI *Atelier* RECOMMENDED COLORS / COLORI RACCOMANDATI



HARD TOP



MAIN DECK



LOWER DECK





SUSTAINABLE CHARTERS INC.

SUSTAINABLE CHARTERS INC.
San Lorenzo, Makati City 1228, Philippines
M: +63 917 852 8858 , M: +63 917 533 2673 | T: 63 2 8824 3360
contact@sustainablecharters.com
www.sustainablecharters.com
www.cranchi.ph



CRANCHI®

Boatbuilder since 1870



CANTIERE NAUTICO CRANCHI® S.p.A.

AWARDS



Powered by

**VOLVO
PENTA**

